

Exercise Sheet 7

COMS10017 Algorithms 2020/2021

Reminder: $\log n$ denotes the binary logarithm, i.e., $\log n = \log_2 n$.

1 Countingsort and Radixsort

1. Illustrate how Countingsort sorts the following array:

4	2	2	0	1	4	2
---	---	---	---	---	---	---

2. Illustrate how Radixsort sorts the following binary numbers:

100110 101010 001010 010111 100000 000101

3. Radixsort sorts an array A of length n consisting of d -digit numbers where each digit is from the set $\{0, 1, \dots, b\}$ in time $O(d(n + b))$.

We are given an array A of n integers where each integer is *polynomially bounded*, i.e., each integer is from the range $\{0, 1, \dots, n^c\}$, for some constant c . Argue that Radixsort can be used to sort A in time $O(n)$.

Hint: Find a suitable representation of the numbers in $\{0, 1, \dots, n^c\}$ as d -digit numbers where each digit comes from a set $\{0, 1, \dots, b\}$ so that Radixsort runs in time $O(n)$. How do you chose d and b ?

2 Recurrences: Substitution Method

1. Consider the following recurrence:

$$T(1) = 1 \text{ and } T(n) = T(n - 1) + n$$

Show that $T(n) \in O(n^2)$ using the substitution method.

2. Consider the following recurrence:

$$T(1) = 1 \text{ and } T(n) = T(\lceil n/2 \rceil) + 1$$

Show that $T(n) \in O(\log n)$ using the substitution method.

Hint: Use the inequality $\lceil n/2 \rceil \leq \frac{n}{\sqrt{2}} = \frac{n}{2^{\frac{1}{2}}}$, which holds for all $n \geq 2$. Use $n = 2$ as your base case.

3 Search in a Sorted Matrix (Difficult!)

We are given an n -by- n integer matrix A that is sorted both row- and column-wise, i.e., every row is sorted in non-decreasing order from left to right, and every column is sorted in non-decreasing order from top to bottom. Give a divide-and-conquer algorithm that answers the question:

“Given an integer x , does A contain x ?”

What is the runtime of your algorithm?

4 Loop Invariant for Radixsort

Radixsort is defined as follows:

Require: Array A of length n consisting of d -digit numbers where each digit is taken from the set $\{0, 1, \dots, b\}$

1: **for** $i = 1, \dots, d$ **do**

2: Use a stable sort algorithm to sort array A on digit i

3: **end for**

(least significant digit is digit 1)

In this exercise we prove correctness of Radixsort via the following loop invariant:

At the beginning of iteration i of the for-loop, i.e., after i has been updated in Line 1 but Line 2 has not yet been executed, the following holds:

The integers in A are sorted with respect to their last $i - 1$ digits.

1. *Initialization:* Argue that the loop-invariant holds for $i = 1$.
2. *Maintenance:* Suppose that the loop-invariant is true for some i . Show that it then also holds for $i + 1$.

Hint: You need to use the fact that the employed sorting algorithm as a subroutine is stable.

3. *Termination:* Use the loop-invariant to conclude that A is sorted after the execution of the algorithm.